

Sundhedsstyrelsen
Sygehuse og Beredskab
Axel Heides Gade 1
2300 København S
syb@sst.dk

Høringsvar NKR om mellemøretændelse og trommehindedræn

Danske Patienter takker for muligheden for at kommentere på fremsendte udkast til national klinisk retningslinje om mellemøretændelse og trommehindedræn.

Danske Patienter anbefaler hermed, at der i retningslinjen tilføjes, at man spørger ind til, om der ryges indendørs i hjemmet og i dagplejen/andre pasningstilbud. Herunder at forældrene informeres om, at de kan mindske deres barns risiko for mellemøretændelse ved at der aldrig ryges indendørs, herunder at udluftning, rygning under emhætten og for åbne vinduer mm. ikke er tilstrækkeligt, fordi de skadelige stoffer ophobes i hjemmet.

Anbefalingen hviler på dokumentation af, at børn, der udsættes for tobaksrøg i hjemmet har øget risiko for mellemøretændelse (1,2).

Med venlig hilsen



Morten Freil

Direktør

Dato:
10. marts 2015

Danske Patienter
Nørre Voldgade 90
1358 København K

Tlf.: 33 41 47 60

www.danskepatienter.dk

E-mail:
aw@dankepatienter.dk

Cvr-nr: 31812976

Side 1/2

1: Royal College of Physicians. *Passive smoking and children*. A report by the Tobacco Advisory Group. London: RCP, 2010.

2: Office on Smoking and Health (US). *The Health Consequences of Involuntary Exposure to Tobacco Smoke: A Report of the Surgeon General*. Atlanta (GA): Centers for Disease Control and Prevention (US); 2006. Respiratory Effects in Children from Exposure to Secondhand Smoke.



Side 2/2